

SAFE HOME

CITY OF CHARLOTTE

Part of the state of the state

NEIGHBORHOOD & BUSINESS SERVICES

Invitation to Bid HNS 21-32

NOTE: Contractors are not authorized to visit the property before or after the bid walk, without being accompanied by the City's Rehabilitation Specialist.

Documents included in Package:

- 1) Instruction to Bidders
- 2) Specs by Location/Trade (Scope of Work)
- 3) Subcontractor Certifications (if applicable)
- 4) Floor Plan / Site Drawing (if applicable)

Bid Walk & Bid Opening:

Project Address:	SAFEHOME CHARLOTTE
	. 1
7711 Cedar Bluff	L M
Bid Walk: 2 / 13 / 2 @	9.'OOAM
Bid Opening: 2/25/21 @	2:00PM
Client Name: Sesley Fay Ne	Contact Number: 704 497 185
Project Manager: C. Hitsman	Contact Number: 704 622 1685
Troject manager	
Bid Walk and Bidding Instructions:	
Bid Walk and Bidding instructions.	
All bid walks are mandatory.	
All plu waiks are mandatory.	
If you are going to be late the policy is the following:	to late. If you are going to be more than 10
Contact me BEFORE the start time if you are going to	be late. If you are going to be more than 10
minutes late, we will proceed without you and you wi	ll not be permitted to bid.

Bids must be received by the date, time and place specified. All others will be considered non responsive and disqualified.

The day of a bid walk the best way to reach me is at ______(cell # _704 622 1685_____).

The Bids will be opened at 600 East Trade St. immediately following the above due date and time.



SAFE HOME

CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

ompany Acknowledgement:
ne undersigned, having become thoroughly familiar with the terms, conditions, limitations, and rovisions of the housing improvement work to be performed at Color River to be funded brough the City of Charlotte Neighborhood & Business Services, in addition, having fully aspected the site in all particulars, hereby proposes and agrees to fully perform the work within the me stated and in strict accordance with the proposed contract documents including furnishing of any and all labor and materials, and to do all work required to complete said Work in accordance with the dvised respective contractual, for the sum of money: **Ill labor, materials, services and equipment necessary for the completion of the Work shown**
n the Drawings and in the Specifications:
Dollars (\$
Vritten total
pecs Dated: 4 19 20 Number of Pages:
pees buteur 4 17
Addenda # 1 Dated: Number of Pages:
Addenda # 2 Dated: Number of Pages:
Project Schedule: Minimum Start Date -
Completion Deadline:
Please Print and Sign:
Company Name/Firm:
Authorized Representative Name:
Signature: Date:



SAFE HOME

CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

Instructions to Bidders

Explanations to Bidders

Any explanation desired by a Contractor regarding the meaning or interpretation of the advertisement for bids, drawings, specifications, etc., must be requested in writing to the Rehabilitation Specialist with sufficient time allowed for a reply to each Contractor before the submission of their bids. Any interpretation made will be in the form of an addendum to the invitation for bids, drawings, specifications, etc., and will be furnished to all prospective Contractors. The Contractor must acknowledge any revision to the bid documents in the space provided on the bid form and it must be submitted with their bid package.

Preparation of Bids

Bids shall be submitted on the forms furnished, or copies thereof, and must be manually signed. If erasures or other changes appear on the forms, the person signing the bids must initial each erasure or change

- The Contractor's Bid Proposal must be properly executed and submitted on the form provided. Bids by Contractors must be received by the Rehabilitation Specialist at the time and place specified on the "Invitation to Bid"
- No bid will be considered unless all individual work items on the Bid Form including any addendums are priced. The sum of all work items must equal to the Total Bid Amount.
- Unless called for, afternate bids will not be considered
- Modification of bids already submitted will be considered if received at the office designated in the invitation for bids by the time set for opening of bids

Submittal of Bids

- Sealed bids will be submitted to the Safe Home Program Office as directed in the invitation to bid prior to or at the appointed bid opening time
- Bid will be time stamped on the date of delivery
- Each bid must be submitted in a sealed envelope bearing on the outside the name of the Contractor, the name of the project for which the bid is submitted, and the date and time of the bid opening
- All bids submitted must be typed or written in ink and signed by the Contractor's designated representative

G:\SELECTIVE REHAB TEAM\forms\bid forms and documents\Invitation to bid WARREN



SAFE HOME CITY OF CHARLOTTE NEIGHBORHOOD & BUSINESS SERVICES

Requirements For Bidders

The City awards rehabilitation bids to the lowest responsive and responsible bidder. A responsible bidder for the safe home program is one who:

- 1) Is a licensed general contractor in the State of North Carolina;
- 2) Has an Renovate, Repair & Paint Certification (http://www2.epa.gov/lead/renovation-repair-and-painting-program);
- 3) Is not listed on a local, state or federal debarment list;
- 4) Carries an appropriate amounts of insurance;
- 5) Can provide references verifying the contractor has completed work of a similar scope in a good workmanship like manner or successfully completed prior work for the Safe Home program. Referenced work must have been completed in one year or less from date of this invitation to bid.

A responsive bidder must:

- 1) Submit all requested documentation on time;
- 2) Meet the above requirements for responsibility at the time of bid submittal;
- 3) Have the capacity to meet the required schedule for the project.
- 4) Existing rehab projects contracted by the contractor must be on schedule.

The City reserves the right to waive any minor informalities or irregularities, which do not go to the heart of the bid submittal or prejudice other offers, or to reject, for good and compelling reasons, any or all bid submittals.

Rehabilitation Specialist
City of Charlotte
Neighborhood and Business Services
600 E. Trade St.
Charlotte, NC 28202
PH: (704)
Fax: (704)

Prepared By:

City of Charlotte Housing & Neighborhood Services 600 E. Trade Street Charlotte, NC 28202 (704) 336-7600

Property	Details

Address:

7711 Cedar Bluff Ln

Charlotte, NC 28227

Structure Type:

Single Unit

Square Feet:

1224

Year Built:

1978

Property Value:

84000

Tax Parcel:

13507132

Census Tract:

Property Zone:

Repairs

Description

Floor

Room

Wesley Payne

(704) 737-6820

SHFY2020

SHFY21

Owner:

Owner Phone:

Program(s):

Exterior

All Contractor's Project Requirements

The contractor is responsible for project requirements, including but limited to:

COVID-19 Process

Obtaining all permits required. Said permits shall include all items in this scope of work.

Provide temporary toilet facilities from job start until the completion of work.

Provide AS MANY roll-off dumpsters as needed without damaging the site. Collect construction debris using dust control methods. Remove dumpster and repair any evidence of the dumpsters use. Contractor may haul debris away daily using dump trailers.

Bid Cost: X =

Base Quantity Total Cost

Front Door & Rear Utility Room Doors

Remove existing door, frame and threshold. Install new Energy Star rated pre-hung exterior door. Insulate cavity. Install mortised dead bolt and lever handled door hardware keyed alike. Install wide peep sight. New casing and shoe molding will match existing. Apply primer and topcoat. This installation to include repairing any damaged header, door framing, to include wall framing, sub-floor, floor joists and sill.

Bid Cost:	•	X=_	
	Base	Quantity	Total Cost
		en en la companya de	And the distribution of the security contract of the second section of the section of the second section of the sect

Rear- Vinyl French Doors to Patio

Remove and dispose of existing door, frame and threshold. Install new Energy Star rated pre-hung exterior vinyl siding patio door with screen and locking hardware. Insulate cavity. New casing and shoe molding will match existing. This installation is to include repairing any damaged header, door framing, wall framing, sub-floor, floor joists, band joists, and sill.

	Bid Cost:	×		
		Base	Quantity	Total Cost
inyl Window	and the second s			
o not replace triangular Windows above front Door				
Dispose of window units and any security bars. Field mo vindows including half screens. Insulate rough opening Exterior trim to be wrapped in PVC coated aluminum co nstallation is to include repairing any damaged header, oists and sill. Any windows replaced in a bathroom mu	. Install new extension oil as needed. Repair al framing (to include kin	jambs, casing I areas disturi g studs, jack :	ped by removal and	installation. This
	Bid Cost:		X=	
		Base	Quantity	Total Cost
exterior Deck Replacement- REAR Remove rear-deck. Replace with 120 sq ft treated lumber Deck and railing and in accordance with Appendix M of NC Building Co	Bid Cost:	Base	X = Quantity should be constructed	Total Cost
, , , , , , , , , , , , , , , , , , , ,			x =	
	Bid Cost:	Base	Quantity	Total Cost
	CHEST LINE IS SELECTED FROM COURT CONTRACT CONTRACT	end in the first the second second to the second se	and a special control of the second of the s	
Exterminate Termites				•
Exterminate Termites Exterminate for termites, Drill and patch foundation an	d pavement where nec ranty for the homeowne	essary. Exteri er.	minator must be lice	ensed and provide
Exterminate Termites Exterminate for termites. Drill and patch foundation an year guarantee with an optional yearly renewable warr	d pavement where nec canty for the homeowne Bid Cost: _	essary. Exteri er.	minator must be lice	nsed and provide

Lawn Landscaping, Tree Removal

- 1. Remove hardwood tree in front of sidewalk to front door, back-fill hole level with clay, seed & straw.
- 2. Remove hardwood tree just behind rear-deck (back-fill hole level with clay, seed & straw)
- 3. Cut all rear-yard seedlings below ground level. Cut grass, & trim

i	Bid Cost:		х	_=	
		Base	Quantity		Total Cost
lear Porch Doorway SHED-ROOF	The second secon	and the second control of the contro		•	
construct a shed roof 3 feet wider than the glass doors opening. Il exposed wood to match house colors, match trim dimensions, natch.	Roof to exten match painted	d out from s I T111 ceilir	siding 4 ft. Appro ng & sides. Flash	x. 10/12 r i to Code	oof pitch. Pain Shingle color to
•	, Bid Cost:		X	_=	
		Base	Quantity		Total Cost
Replace/ Refasten Any Loose/ Missing Or Decayed Exterior	Lumber		98-98-98-98-98-98-98-98-98-98-98-98-98-9	V	
 Remove & replace any decayed wood products (T111) at re Replace all decayed plate & band. Stain to match. Enclose any holes in front porch columns. Paint/stain to match. 	ear deck area.			٠.	
	Bid Cost:		_X	_=	
		Base	Quantity		Total Cost
Custom Shelf Installation	AND AND THE STATE OF THE STATE	de marca state (1991)			
 Clean out items from Rear Utility room floor and front - middle Install a wooded shelving unit, the length of the wall (from fro Shelves to be 7/16" plywood. 2 Shelves high. All extral stored items from the two front bedrooms to be store 	nt of nouse to	naii) s ieei	deep. Anonor in	e naming	to the wall stud
	Bid Cost:		X	_=	
		Base	Quantity		Total Cost
			and work and concentration in the contract of the first		
Floor System Repair			5. Land 10 minutes		
Living room / Dining room. - House there to go into shed. Litility room or to go into shed.	onto new bedro e 2"x 8" joists &	oom shelvin & some plyw	g. vood sub flooring	replacem	nent.
Floor System Repair 1. Living room / Dining room. Remove all stored items. Items to go into shed, Utility room or one can be sub-floor is level. Work may include installation of some	onto new bedre e 2"x 8" joists &	oom shelvin & some plyw	g. vood sub flooring	replacem	ent.
Living room / Dining room. Living room / Dining room. Living room / Dining room.	onto new bedre e 2"x 8" joists & Bid Cost:	k some plyw	g. vood sub flooring X Quantity		ent.

Living/Dining Room / Master Bath/ Laundry Room & Hallway

Living /Dining Room / Master Bath/Laundry Room & Hallway
Install 25 year warrantied resilient floor covering per manufacturer's specifications. Flooring material is to be vinyl interlocking planks and be waterproof. Include transitions and painted or stained wood quarter-round at all perimeters to complete installation.

	Bid Cost:		X	=	=	
		Base		Quantity		Total Cost
raille / Sound Thermostat	a kome enn kan terrer e	.,			•	·
eplace hallway Thermostat with a Braille / Sound Thermostat						
	Bid Cost: _		x		=	
	, —	Base		Quantity	· a.a. assess	Total Cost
Cabinet Repair - Construct Drawer	-y-,iri.iring.og.og.og.orusescom, irini.gov		Class of and the second			
Construct a Drawer to fit the Bathroom Vanity. Finish with mat	ching semi-glo	ss low-VO	C paint.			
	Bid Cost: _		x_		=	
		Base		Quantity		Total Cost
Master Bedroom	The second second second second second					
Completely demo the existing bathroom. Remove all plumbing	n and electrica	l fixtures, de	oors an	d trim, and cei	iling, w	all, and floor
completely demo the existing pathroom. Remove all plumbing coverings to the framing.	g and crocking	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		a tim, and so		
coverings to the framing. Damage extends outside of the bathroom. Include repair of a	Il components	associated	with thi	s damage		
coverings to the framing. Damage extends outside of the bathroom. Include repair of al Repair or replace all framing as necessary, drywall, moldings	Il components	associated	with thi	s damage		
coverings to the framing. Damage extends outside of the bathroom. Include repair of all Repair or replace all framing as necessary, drywall, moldings Building Code. Rebuild the bathroom complete with all the following features: Ifloor, wall, and ceiling insulation at locations required by the freeling mounted fan vented through the roof	Il components to meet the red	associated quirements	with thi	s damage		
Coverings to the framing. Damage extends outside of the bathroom. Include repair of all Repair or replace all framing as necessary, drywall, moldings Building Code. Rebuild the bathroom complete with all the following features: *floor, wall, and ceiling insulation at locations required by the extending mounted fan vented through the roof *switched light fixture over the vanity *GFCI outlet per Code	Il components to meet the red	associated quirements	with thi	s damage		
coverings to the framing. Damage extends outside of the bathroom. Include repair of all Repair or replace all framing as necessary, drywall, moldings Building Code. Rebuild the bathroom complete with all the following features: *floor, wall, and ceiling insulation at locations required by the extending mounted fan vented through the roof *switched light fixture over the vanity *GFCI outlet per Code *Fiberglass stand-up shower enclosure	Il components to meet the red	associated quirements	with thi	s damage		
Coverings to the framing. Damage extends outside of the bathroom. Include repair of all Repair or replace all framing as necessary, drywall, moldings Building Code. Rebuild the bathroom complete with all the following features: *floor, wall, and ceiling insulation at locations required by the exceiling mounted fan vented through the roof *switched light fixture over the vanity *GFCI outlet per Code *Fiberglass stand-up shower enclosure *drywall and finish walls and ceiling	Il components to meet the red	associated quirements	with thi	s damage		
Coverings to the framing. Damage extends outside of the bathroom. Include repair of all Repair or replace all framing as necessary, drywall, moldings Building Code. Rebuild the bathroom complete with all the following features: *floor, wall, and ceiling insulation at locations required by the exceiling mounted fan vented through the roof *switched light fixture over the vanity *GFCI outlet per Code *Fiberglass stand-up shower enclosure *drywall and finish walls and ceiling *baseboard and shoe mold at standard locations *1.6 gpf commode 17"	Il components to meet the red	associated quirements	with thi	s damage		
Coverings to the framing. Damage extends outside of the bathroom. Include repair of all Repair or replace all framing as necessary, drywall, moldings Building Code. Rebuild the bathroom complete with all the following features: *floor, wall, and ceiling insulation at locations required by the exceiling mounted fan vented through the roof *switched light fixture over the vanity *GFCI outlet per Code *Fiberglass stand-up shower enclosure *drywall and finish walls and ceiling *baseboard and shoe mold at standard locations *1.6 gpf commode 17" *24" vanity with cultured marble top and single handle faucet	Il components to meet the red Construction S	associated quirements	with thi	s damage		
Coverings to the framing. Damage extends outside of the bathroom. Include repair of all Repair or replace all framing as necessary, drywall, moldings Building Code. Rebuild the bathroom complete with all the following features: *floor, wall, and ceiling insulation at locations required by the extending mounted fan vented through the roof *switched light fixture over the vanity *GFCI outlet per Code *Fiberglass stand-up shower enclosure *drywall and finish walls and ceiling *baseboard and shoe mold at standard locations *1.6 gpf commode 17" *24" vanity with cultured marble top and single handle faucet *3 piece bath hardware set (towel bar, paper holder, and tower.	Il components to meet the red Construction S	associated quirements	with thi	s damage		
Damage extends outside of the bathroom. Include repair of all Repair or replace all framing as necessary, drywall, moldings Building Code. Rebuild the bathroom complete with all the following features: *floor, wall, and ceiling insulation at locations required by the exceiling mounted fan vented through the roof *switched light fixture over the vanity *GFCI outlet per Code *Fiberglass stand-up shower enclosure *drywall and finish walls and ceiling *baseboard and shoe mold at standard locations *1.6 gpf commode 17" *24" vanity with cultured marble top and single handle faucet *3 piece bath hardware set (towel bar, paper holder, and tower *mirror over vanity	Il components to meet the rec Construction S	associated quirements	with thi	s damage		
Damage extends outside of the bathroom. Include repair of all Repair or replace all framing as necessary, drywall, moldings Building Code. Rebuild the bathroom complete with all the following features: *floor, wall, and ceiling insulation at locations required by the exceiling mounted fan vented through the roof *switched light fixture over the vanity *GFCI outlet per Code *Fiberglass stand-up shower enclosure *drywall and finish walls and ceiling *baseboard and shoe mold at standard locations *1.6 gpf commode 17" *24" vanity with cultured marble top and single handle faucet *3 piece bath hardware set (towel bar, paper holder, and towe *mirror over vanity *walls and ceiling painted semi-gloss per Construction Specifications *1.5 ceiling *1.5	Il components to meet the rec Construction S el ring)	associated quirements	with thi	s damage		
Damage extends outside of the bathroom. Include repair of all Repair or replace all framing as necessary, drywall, moldings Building Code. Rebuild the bathroom complete with all the following features: *floor, wall, and ceiling insulation at locations required by the exteriling mounted fan vented through the roof *switched light fixture over the vanity *GFCI outlet per Code *Fiberglass stand-up shower enclosure *drywall and finish walls and ceiling *baseboard and shoe mold at standard locations *1.6 gpf commode 17" *24" vanity with cultured marble top and single handle faucet *3 piece bath hardware set (towel bar, paper holder, and towe *mirror over vanity *walls and ceiling painted semi-gloss per Construction Specif * all un-joined 1/4 round trim ends will be cut at a 45 and dou * supply vent	Il components to meet the rec Construction S el ring) ications. ible-painted	associated quirements pecification	with thi	s damage Construction S	Specifica	ations and the
Damage extends outside of the bathroom. Include repair of all Repair or replace all framing as necessary, drywall, moldings Building Code. Rebuild the bathroom complete with all the following features: *floor, wall, and ceiling insulation at locations required by the *ceiling mounted fan vented through the roof *switched light fixture over the vanity *GFCI outlet per Code *Fiberglass stand-up shower enclosure *drywall and finish walls and ceiling *baseboard and shoe mold at standard locations *1.6 gpf commode 17" *24" vanity with cultured marble top and single handle faucet *3 piece bath hardware set (towel bar, paper holder, and towe *mirror over vanity *walls and ceiling painted semi-gloss per Construction Specifi * all un-joined 1/4 round trim ends will be cut at a 45 and doc	Il components to meet the rec Construction S el ring) ications. ible-painted	associated quirements pecification	with thi	s damage Construction S	Specifica	ations and the
Damage extends outside of the bathroom. Include repair of all Repair or replace all framing as necessary, drywall, moldings Building Code. Rebuild the bathroom complete with all the following features: *floor, wall, and ceiling insulation at locations required by the exteriling mounted fan vented through the roof *switched light fixture over the vanity *GFCI outlet per Code *Fiberglass stand-up shower enclosure *drywall and finish walls and ceiling *baseboard and shoe mold at standard locations *1.6 gpf commode 17" *24" vanity with cultured marble top and single handle faucet *3 piece bath hardware set (towel bar, paper holder, and towe *mirror over vanity *walls and ceiling painted semi-gloss per Construction Specif * all un-joined 1/4 round trim ends will be cut at a 45 and dou * supply vent	Il components to meet the rec Construction S el ring) ications. uble-painted	associated quirements pecification	with thi of the C s	s damage Construction S	Specifica	ations and the

Combination CO / Smoke Detector Hard Wired

Install a hard wired combination carbon monoxide and smoke detector with battery back up.

Bid Cost:		Х:	=
	Base	Quantity	Total Cost
ke and heat detecto งร.	rs permanent	ly wired into a rece	eptacle boxes with
Bid Cost:		_X	=
	Base	Quantity	Total Cost
		x	=
		V	=
	_		Total Cost
	Base	Quantity	iotai Cost
	Base	Quantity	Total Cost
	Base	Quantity Total Cos	
	ke and heat detecto as. Bid Cost: Switch plate operate	Base Switch plate operated. Base Bid Cost: Base Bid Cost: Base	Base Quantity ke and heat detectors permanently wired into a rece as. Bid Cost: X Base Quantity Switch plate operated. Bid Cost: X



SAFE HOME CITY OF CHARLOTTE NEIGHBORHOOD & BUSINESS SERVICES

- Failure to include all forms may result in rejection of a bid
- Required Bid Package Forms:
 - Scope of Work
 - o Addenda Acknowledgement
 - o Itemized Work Sheet
 - Subcontractor Certifications (if applicable)

NEIGHBORHOOD & BUSINESS SERVICES

http://housing.charlottenc.gov | 600 E. Trade Street | Charlotte, NC